PROJECT DESIGN CHECKLIST FOR PACIFIC BEACH ECODISTRICT COMPATIBILITY (UPDATED 10/20/2016)

Pacific Beach has formed an EcoDistrict to create a sustainable beautiful community. The EcoDistrict is supported by numerous community organizations, including the Planning Group, Town Council, DiscoverPB, and beautifulPB, who advance sustainability by targeting eight performance areas. New development is encouraged to demonstrate support for the community through action in these performance areas and in turn will receive support from these organizations. Developments seeking deviations from City standards are encouraged to support these deviations through increased action in the performance areas.

Those measures with (*) are required, unless demonstrated by the applicant that compliance is not feasible.

-,-	ct Name:	Date:				
ocat	ion:					
Гуре:	Size:					
	ECODISTRICT PERFORMANCE AREAS					
	ECODISTRICI PERFORMANCE AREAS					
	Measure	Source	Y	Ν	N/A	N
	Interdisciplinary team that includes LEED H accredited professional	LEED H ID 1.2 & 1.3				
	Location and Linkages per LEED H LL (all development in PB meets basic criteria)	LEED H LL				
ŧ	*Reduce local heat island effect (shade hardscape, light colored hardscapes, <i>light colored roofs, shade artificial turf</i>)	LEED H SS 3, bPB				
Appropriate Development	Inclusion of affordable, workforce housing, or generational housing components	Economic Prosperity Element (SD General Plan), bPB				[
Dev	Local workforce (architect, engineer, contractor, and/or trades)	bPB				[
riate	*Encourage community connectivity and "eyes on the street" (windows and entries oriented to street, avoid high walls and hedges that cause separation)	Urban Design Element (SD General Plan), bPB				
pprop	*Active frontages (provide patios, decks, gardens, or other active spaces in frontage)	Urban Design Element (SD General Plan), bPB				
₹	Preserve existing building(s)	LEED ND GIB 6				
	Provide variety of housing units, office space, community retail, recreation amenities	Urban Design Element (SD General Plan), bPB				
	Other:					
-mm	onto (Notoc)					
omm	*Durability Assurance (Mold Proyention) per LEED H ID 2	LEED H ID 2				
omm	*Durability Assurance (Mold Prevention) per LEED H ID 2	LEED H ID 2				
	*Durability Assurance (Mold Prevention) per LEED H ID 2 *Indoor air quality per LEED H EQ (includes non-toxic materials and ventilation)	LEED H EQ				
	*Durability Assurance (Mold Prevention) per LEED H ID 2 *Indoor air quality per LEED H EQ (includes non-toxic materials and ventilation) Construct garden beds or designate areas for gardens	LEED H EQ				
	*Durability Assurance (Mold Prevention) per LEED H ID 2 *Indoor air quality per LEED H EQ (includes non-toxic materials and ventilation)	LEED H EQ bPB bPB			_	
	*Durability Assurance (Mold Prevention) per LEED H ID 2 *Indoor air quality per LEED H EQ (includes non-toxic materials and ventilation) Construct garden beds or designate areas for gardens	LEED H EQ				
and Well being	*Durability Assurance (Mold Prevention) per LEED H ID 2 *Indoor air quality per LEED H EQ (includes non-toxic materials and ventilation) Construct garden beds or designate areas for gardens Prohibit smoking	bPB bPB Urban Design Element				
and Well Being	*Durability Assurance (Mold Prevention) per LEED H ID 2 *Indoor air quality per LEED H EQ (includes non-toxic materials and ventilation) Construct garden beds or designate areas for gardens Prohibit smoking *Create usable outdoor spaces with shade and greenery	bPB bPB Urban Design Element (SD General Plan), bPB				
Health and Well Being mmd	*Durability Assurance (Mold Prevention) per LEED H ID 2 *Indoor air quality per LEED H EQ (includes non-toxic materials and ventilation) Construct garden beds or designate areas for gardens Prohibit smoking *Create usable outdoor spaces with shade and greenery *Maximize daylight through use of windows and design	bPB bPB Urban Design Element (SD General Plan), bPB bPB				

	Hold Design Charrette organized through Planning Group	LEED H ID 1.4			
ntity	*Ensure that design is compatible with neighborhood and consistent with Community Plan	Urban Design Element (SD General Plan), bPB			
	Integrate beach themes, materials and colors	bPB			
PB Identity	Purchase and install PB branded materials, e.g. Bike racks, storm drain stencil	Urban Design Element (SD General Plan), bPB			
2	Donate to or assist with a community collaborator organization or project	bPB			
	Invite local school students for field trips to observe sustainable construction	bPB			
	Other:				
Comme	ents/Notes:				
	*Designate secure area on-site for bike parking	LEED ND SLL 4, bPB, SDCAPCC Step2 Strat. 3.5			
	Purchase and install Discover PB bike racks and install on-site or in sidewalk	bPB			
<u>i</u>	Provide designated space for mobility sharing (i.e. Car2Go, bike share)	bPB, SDCAPCC Step2 Strategy 3.7			
Access and Mobility	Provide improvements that support non-car travel choices to connect to transit, schools, and village centers (e.g. bike / skateboard storage, streetscape improvements for non-car travel, paint sharrows, etc.)	Urban Design Element (SD General Plan), PB Community Plan, LEED ND SLL 4, bPB, SDCAPCC Step2 Strategy 3.6			
Acc	Provide EV charging or prewire garage for EV chargers	bPB, SDCAPCC Step2 Strategy 3.4			
	Donate to or assist with the PB Pathway projects – purchase and install PB Pathway signage on designated routes	bPB, SDCAPCC Step 3.3 and 3.4			
	Other:				
	Building Orientation for Solar Design (orient building within 15 degrees east west, 50%				
	more windows south facing with 90% shade in summer and unshaded in winter, and >450 sf of south facing roof)	LEED H ID 1.5			
	*Energy Star Performance	LEED H EA 1.1			
	Exceptional energy performance, construct above minimum energy conservation measures	LEED H EA 1.2, SDCAPCC Step2 Strategy 2.3			
	*Efficient hot water distribution	LEED H EA 2.1			
	*Hot water pipe insulation	LEED H EA 2.2			
'gy	*HVAC refrigerant management per LEED H EA 11 or avoid installation of HVAC with	LEED H EA 11, bPB			
	whole house fan or other ventilation systems			_	
Enei	Install solar PV and consider batteries for increased self sufficiency	bBP			
Energy	·	, 			
Enel	Install solar PV and consider batteries for increased self sufficiency	bBP			
Enel	Install solar PV and consider batteries for increased self sufficiency Programmed lighting	bBP bBP			
Ene	Install solar PV and consider batteries for increased self sufficiency Programmed lighting Incorporate building insulation and air seals	bBP bBP			
Ene	Install solar PV and consider batteries for increased self sufficiency Programmed lighting Incorporate building insulation and air seals Install LED Lights	bBP bBP bBP			
Ene	Install solar PV and consider batteries for increased self sufficiency Programmed lighting Incorporate building insulation and air seals Install LED Lights Install renewable energy source	bBP bBP bBP bBP			
Ene	Install solar PV and consider batteries for increased self sufficiency Programmed lighting Incorporate building insulation and air seals Install LED Lights Install renewable energy source Utilize passive energy technologies	bBP bBP bBP bBP bBP			

	*Basic Landscape Design (drought-tolerant landscape that is not on slopes or in shape, use of mulch and/or amendments, tilled compacted soil)	LEED H SS 2.2		
	*Minimize or eliminate conventional turf	LEED H SS 2.3		
	*Plant drought tolerant plants	Urban Design Element (SD General Plan), LEED H SS 2.4		
	Install rainwater harvesting system (roof collection or other)	LEED H WE 1.1		
_	Install greywater system(s)	LEED H WE 1.2		
Water	Install high efficiency irrigation system or substantially reduce demand	Urban Design Element (SD General Plan), LEED H WE 2		
	Install high or very high efficiency fixtures (faucet <2 or 1.5 gpm; shower <2 or 1.75 gpm; toilet <1.3 or 1.1 gpf)	Urban Design Element (SD General Plan), LEED H WE 3, SDCAPCC Step2 Strategy 1.2		
	Install sensored irrigation systems (e.g. soil sensors)	bPB		
	Donate to or assist with the community water harvesting pilot project	bPB		
	Other:			
Comm				
Comm				
Comm	*Erosion Control During Construction (Protect topsoil, stockpiles, and slopes from erosion, divert slope drainage with swales, use straw waddles and silt fences to control runoff and protect inlets)	LEED H SS 1.1		
Comm		LEED H SS 1.1 Urban Design Element (SD General Plan), LEED H SS 4.1		
Comm	divert slope drainage with swales, use straw waddles and silt fences to control runoff and protect inlets) *Maximize lot permeability with landscaping, permeable pavement and other surfaces,	Urban Design Element (SD General Plan), LEED		
	divert slope drainage with swales, use straw waddles and silt fences to control runoff and protect inlets) *Maximize lot permeability with landscaping, permeable pavement and other surfaces, directing impervious to infiltration areas)	Urban Design Element (SD General Plan), LEED H SS 4.1		
	divert slope drainage with swales, use straw waddles and silt fences to control runoff and protect inlets) *Maximize lot permeability with landscaping, permeable pavement and other surfaces, directing impervious to infiltration areas) Permanent erosion control (terraced slopes and landscaping) Retain and treat stormwater on site, manage roof runoff on site (vegetated roof, drain to	Urban Design Element (SD General Plan), LEED H SS 4.1 LEED H SS 4.2 Urban Design Element (SD General Plan), LEED		
	divert slope drainage with swales, use straw waddles and silt fences to control runoff and protect inlets) *Maximize lot permeability with landscaping, permeable pavement and other surfaces, directing impervious to infiltration areas) Permanent erosion control (terraced slopes and landscaping) Retain and treat stormwater on site, manage roof runoff on site (vegetated roof, drain to infiltration areas, or collect roof runoff)	Urban Design Element (SD General Plan), LEED H SS 4.1 LEED H SS 4.2 Urban Design Element (SD General Plan), LEED H SS 4.3		
	divert slope drainage with swales, use straw waddles and silt fences to control runoff and protect inlets) *Maximize lot permeability with landscaping, permeable pavement and other surfaces, directing impervious to infiltration areas) Permanent erosion control (terraced slopes and landscaping) Retain and treat stormwater on site, manage roof runoff on site (vegetated roof, drain to infiltration areas, or collect roof runoff) Construct stormwater filtration in public right of way	Urban Design Element (SD General Plan), LEED H SS 4.1 LEED H SS 4.2 Urban Design Element (SD General Plan), LEED H SS 4.3 bPB		
	divert slope drainage with swales, use straw waddles and silt fences to control runoff and protect inlets) *Maximize lot permeability with landscaping, permeable pavement and other surfaces, directing impervious to infiltration areas) Permanent erosion control (terraced slopes and landscaping) Retain and treat stormwater on site, manage roof runoff on site (vegetated roof, drain to infiltration areas, or collect roof runoff) Construct stormwater filtration in public right of way *Reduce non-permeable paving to minimum area possible	Urban Design Element (SD General Plan), LEED H SS 4.1 LEED H SS 4.2 Urban Design Element (SD General Plan), LEED H SS 4.3 bPB LEED NDP 5		
Habitat & Ecosystem	divert slope drainage with swales, use straw waddles and silt fences to control runoff and protect inlets) *Maximize lot permeability with landscaping, permeable pavement and other surfaces, directing impervious to infiltration areas) Permanent erosion control (terraced slopes and landscaping) Retain and treat stormwater on site, manage roof runoff on site (vegetated roof, drain to infiltration areas, or collect roof runoff) Construct stormwater filtration in public right of way *Reduce non-permeable paving to minimum area possible *Plant maximum number of trees on-site possible	Urban Design Element (SD General Plan), LEED H SS 4.1 LEED H SS 4.2 Urban Design Element (SD General Plan), LEED H SS 4.3 bPB LEED NDP 5 bPB		
	divert slope drainage with swales, use straw waddles and silt fences to control runoff and protect inlets) *Maximize lot permeability with landscaping, permeable pavement and other surfaces, directing impervious to infiltration areas) Permanent erosion control (terraced slopes and landscaping) Retain and treat stormwater on site, manage roof runoff on site (vegetated roof, drain to infiltration areas, or collect roof runoff) Construct stormwater filtration in public right of way *Reduce non-permeable paving to minimum area possible *Plant maximum number of trees on-site possible *Plant street trees	Urban Design Element (SD General Plan), LEED H SS 4.1 LEED H SS 4.2 Urban Design Element (SD General Plan), LEED H SS 4.3 bPB LEED NDP 5 bPB LEED NDP 14		
	divert slope drainage with swales, use straw waddles and silt fences to control runoff and protect inlets) *Maximize lot permeability with landscaping, permeable pavement and other surfaces, directing impervious to infiltration areas) Permanent erosion control (terraced slopes and landscaping) Retain and treat stormwater on site, manage roof runoff on site (vegetated roof, drain to infiltration areas, or collect roof runoff) Construct stormwater filtration in public right of way *Reduce non-permeable paving to minimum area possible *Plant maximum number of trees on-site possible *Plant street trees Preserve existing trees, on-site habitat or provide site design for habitat Focus exterior lighting down, provide adequate pedestrian lighting and prevent light	Urban Design Element (SD General Plan), LEED H SS 4.1 LEED H SS 4.2 Urban Design Element (SD General Plan), LEED H SS 4.3 bPB LEED NDP 5 bPB LEED NDP 14 LEED ND GIB 7 Urban Design Element		
	divert slope drainage with swales, use straw waddles and silt fences to control runoff and protect inlets) *Maximize lot permeability with landscaping, permeable pavement and other surfaces, directing impervious to infiltration areas) Permanent erosion control (terraced slopes and landscaping) Retain and treat stormwater on site, manage roof runoff on site (vegetated roof, drain to infiltration areas, or collect roof runoff) Construct stormwater filtration in public right of way *Reduce non-permeable paving to minimum area possible *Plant maximum number of trees on-site possible *Plant street trees Preserve existing trees, on-site habitat or provide site design for habitat Focus exterior lighting down, provide adequate pedestrian lighting and prevent light pollution	Urban Design Element (SD General Plan), LEED H SS 4.1 LEED H SS 4.2 Urban Design Element (SD General Plan), LEED H SS 4.3 bPB LEED NDP 5 bPB LEED NDP 14 LEED ND GIB 7 Urban Design Element (SD General Plan)		
	divert slope drainage with swales, use straw waddles and silt fences to control runoff and protect inlets) *Maximize lot permeability with landscaping, permeable pavement and other surfaces, directing impervious to infiltration areas) Permanent erosion control (terraced slopes and landscaping) Retain and treat stormwater on site, manage roof runoff on site (vegetated roof, drain to infiltration areas, or collect roof runoff) Construct stormwater filtration in public right of way *Reduce non-permeable paving to minimum area possible *Plant maximum number of trees on-site possible *Plant street trees Preserve existing trees, on-site habitat or provide site design for habitat Focus exterior lighting down, provide adequate pedestrian lighting and prevent light pollution Restore on-site habitat or provide site design for habitat	Urban Design Element (SD General Plan), LEED H SS 4.1 LEED H SS 4.2 Urban Design Element (SD General Plan), LEED H SS 4.3 bPB LEED NDP 5 bPB LEED NDP 14 LEED ND GIB 7 Urban Design Element (SD General Plan) LEED ND SLL 7-8		

	Use non-toxic pest control, particularly termite control	LEED H SS 5					
4	Implement material efficient framing	LEED H MR 1					
	Use FCS wood only, do not use tropical wood	LEED H MR 2.1					
Management	Use environmentally preferred products (recycled content, low emissions, and/or local)	LEED H MR 2.2					
таде	Achieve zero waste construction	bPB					
	Provide composting bins or designated composting area	bPB					
Materials	Use low carbon logistics e.g. deliveries to site	bPB					
late	Reuse existing building materials	LEED H MR 2.3, bPB					
Σ	*Recycle existing building materials and reduce construction waste	Urban Design Element (SD General Plan), LEED H MR 2.3, bPB					
	Other:						
Comments/Notes:							

Reference Information

LEED = Leadership in Energy & Environmental Design

LEED H = LEED for Homes, see http://www.usgbc.org/guide/homes

LEED ND = LEED for Neighborhood Design, see http://www.usgbc.org/resources/leed-neighborhood-development-v2009-current-version

LEED H is a green building certification program developed and administered by the US Green Building Council that recognizes best-in-class building strategies and practices. Many project seeks LEED H certification to demonstrate their commitment to sustainability and many LEED H criteria are relevant to the EcoDistrict performance areas. Specific relevant LEED H for Homes criteria are cited so more information can be readily obtained. ID=Innovation and Design Process; LL=Location and Linkages; SS=Sustainable Sites; WE=Water Efficiency; EA=Energy and Atmosphere; MR=Materials and Resources; EQ=Indoor Environmental Quality; EA=Environmental Awareness. Many resources are available online that describe these criteria. For more information, visit the websites listed above, or consult a LEED accredited professional.

bPB = BeautifulPB http://beautifulpb.com/

City of San Diego General Plan http://www.sandiego.gov/planning/genplan/

City of San Diego Urban Design Element http://www.sandiego.gov/planning/genplan/pdf/generalplan/adoptedudelem.pdf

SDCAPCC = City of San Diego Climate Action Plan Consistency Checklist

https://www.sandiego.gov/sites/default/files/city_of_san_diego_cap_checklist_071316.pdf

PLEASE SUBMIT SUGESTIONS OR COMMENTS TO Chris Olson e-mail <u>OLY7@att.net</u> or visit PBPG website http://www.pbplanning.org/subcommittees/commercial-residential-mixed-use-subcommittee/